

More than you expected.

Gott's



Fall Guard

The Ultimate Fall Protection System for the Loading Dock.

Dock door fall protection safety system designed to meet & exceed OSHA standards for dock fall protection, and maximize safety for your personnel.

Don't just check a box, keep your people safe.

Until now, it was common to place a chain or retractable bar across an open dock door to check OSHA's dock fall protection box. This introduced an entirely new problem, allowing personnel to flip over the chain or bar and fall off the dock, increasing risk and liability in your facility.

We rebuilt fall protection from the top down to provide the best safety solution. The Fall Guard fall protection safety system features full coverage fall protection, to eliminate falls over or through the old methods of protection. Built with extremely durable materials, our patent-pending design is engineered to be easier to deploy, safer to use, and better for your bottom line.



Set your facility up for success:

Exceeds OSHA 1910.28 & 1910.29 Standards

OSHA requires employers to provide fall protection at 42" at every floor opening to prevent employee falls, but we built the Fall Guard to go far beyond checking a box. With heavy duty wind bars and full height protection, you'll rest easy knowing your people are safe.

Easy-to-activate visual and physical barrier to minimize downtime and maximize usage.

We designed the Fall Guard to minimize activation time using push-button functionality or our mechanical chain hoist, ensuring you can deploy the web quickly and efficiently whenever needed.

Tightly spaced restraining bars & full height coverage provides the optimal safety solution.

Fall Guard is the first of its kind, covering the full height of the dock door to prevent falls that other dock safety equipment cannot. This full-length safety web features several pultruded fiberglass restraining bars, 5 of which are tightly spaced in the bottom 42" of the system tested to exceed 250 pounds, exceeding the 200 lb OSHA standard.

The Fall Guard Advantage:

Even if one of our five pultruded fiberglass restraining bars gets displaced out of the track, the others move to add additional support to keep your employees safe, forming an industry first safety web of protection.



Maximize safety & protect your bottom line.



Mesh or Vinyl Panels Reduce Your Energy Costs

Allow natural air flow and ventilation for your building. When using mesh panels, the Fall Guard can provide a 65% shade factor keeping your employees safe, comfortable, and productive.



Optional Bug & Pest Barrier Defend Against Unwanted Pests

Unlock the full potential of your dock door by adding side and top seals to your Fall Guard door to prevent unwanted pests and bugs from entering your building while dock doors are open and the Fall Guard is in place.




Optional Plug and Play Simplify Installation

Simplify installation and electrical work with our plug and play pre-wired option! Simply mount the switchbox and plug into an outlet, and you're good to go. No need to hire a costly electrician with this option.


With Goff's, excellence comes standard.



Full end caps are included on all wind bars to reduce friction, and allow easy panel replacement.



Fiberglass wind bars won't take a set or kink if impacted, always returning to their original shape.




Pre-assembly minimizes your installation time and ensures high quality standards.



Stainless Steel hardware comes standard on Fall Guard to protect against corrosion.

Door Activation Methods:



In-Tube Motors


Convenient switch operation at 6 in/sec or 12 in/sec.




Manual Chain Hoist

Manual chain hoist featuring integrated brake for safe use.

18 oz Vinyl Color Options:



11 oz Mesh Color Options:



Goff's delivers more than you expected.

With over 30 years of experience, the Goff's team is committed to delivering the most reliable and innovative solutions to improve efficiency in your facility. **Contact us to help you improve safety and reduce risk at your facility today.**

(800) 234-0337 | sales@goffscw.com

Best In Class Warranty

Goff's offers a best-in-class warranty for the Fall Guard from failure in normal use for a period of 2 years for parts and 1 year for labor. This warranty includes all parts and labor as approved by Goff's tech support team to keep you up and running.

Fastest Industry Lead Times

With consistent lead times of 3 weeks or less, you can have your complete Fall Guard safety system installed and active to provide maximum protection at your dock doors in no time. This will minimize downtime & maximize safety and security.

Customer Care & Tech Support

The Goff's customer care & tech support team is available to answer any questions you have about your Fall Guard system, making sure you not only get the most out of your investment, but ensure it runs smoothly for years to come.



Fall Guard pictured with red mesh panels and optional bug & pest barrier.

Contact us to help you improve safety and reduce risk at your facility today.



700 Hickory Street, Pewaukee, WI 53072

Phone: 800-234-0337 | Fax: 800-959-0170

MADE IN USA

goffsenderprises.com | sales@goffscw.com

goffs_FallGuard_ProductBrochure_0522.indd | Revised 5.31.23 | 1830

© 2020 Goff's Enterprises, Inc All Rights Reserved