





Clean Guard Doors

Keep your wash down areas separated & sanitized.

When wash down procedures are required in your facility, choose Clean Guard.

Keep your clean areas separate & sanitized.

During wash down cycles in food processing facilities, production is halted and valuable time is lost. Clean Guard was **designed & manufactured with wash down procedures in mind**. This door delivers maximum up-time and productivity, protecting areas from overspray and contamination.

Wash down your facility with ease:

Minimize downtime and maximize productivity.

Clean Guard includes an IP66 wash down rated motor that can operate your door at 20" or 42"/sec. Our Intelligent Control System includes a VFD & PLC enclosed in a NEMA4X control panel.

Commited to keeping you safe.

To maximize safety in your facility, Clean Guard comes standard with our fully wash down capable IP67 photo eye safety sensor. Designed to detect if someone crosses the sensor, the photo eye will stop and reverse the door, ensuring your safety even in wash down applications

Keep water in and contaminants out.

Ensure your facility stays clean with our dual weather seals, a tight floor seal and brush seal at the header. This provides a full perimeter seal on your door preventing cross-contamination.



6' x 7' door with white vinyl and vision panel pictured.




Built with non-corrosive materials:

Goff's Clean Guard comes with all non-corrosive material to take on your wash down areas. Our stainless steel components, fiberglass wind bars & chemical resistant PVC side guides protect your door against any rust or deterioration to ensure it stands the test of time.

With Goff's Clean Guard doors, we believe premium options should come standard.

That's why every Goff's High Performance Door Includes:



- **1. Full Width Roll Cover** provides environmental separation & prevents contaminants from gathering on the door's inner components.
- **2. Full-width window** increases safety & visibility at your facility to protect employees and provide easy awareness of wash down area activity.
- **3. Easy-to-replace** panels reduce cost of ownership, designed to be affordable and quickly shipped to minimize downtime.
- **4. Auto-close timer** included to minimize wasted energy and potential cross contamination, to keep spaces separated.
- **5. Fiberglass reinforced wind bars** won't take a set or kink if impacted, always returning to their original shape.



NEMA 4X Intelligent Control System with upgraded Smart Touch Screen features PLC & VFD for increased efficiency, safety, and reliability.




Pre-assembly by Goff's minimizes your installation time.




Corrosion-resistant materials, including stainless steel hardware and PVC side tracks, ensure longevity & cleanliness.



Auto reset feature keeps you up and running if door is impacted.



Standard IP67 photo eye safety sensor specifically designed for wash down applications included to maximize safety.




Dual weather seals help to effectively seal each side of the door to keep water in wash down area & contaminants out.

Vinyl Material Features:

Solid 18oz vinyl comes standard on Clean Guard with one standard vision panel. Optional additional colors are available in any preferred combination to work with your space.

18 oz Vinyl Color Options:





Goff's delivers more than you expected.

With over 30 years of experience, the Goff's team is committed to delivering the most reliable and innovative solutions to improve efficiency in your facility.

(800) 234-0337 | sales@goffscw.com

Best Warranty on the Market

Goff's offers an industry-leading warranty for Clean Guard Doors that covers everything bumper-to-bumper including parts & labor for 3 years from date of purchase. We also cover the direct-drive motor for 5 years from date of purchase.

Fastest Industry Lead Times

With the industry's fastest lead times, you can have your complete Clean Guard Door System installed and active to provide maximum efficiency at your facility in no time. This will minimize downtime & maximize productivity.

Customer Care & Tech Support

The Goff's customer care & tech support team is available to answer any questions you have about your Clean Guard Door, making sure you not only get the most out of your investment, but ensure it runs smoothly for years to come.

Maximize your clean space:

Achieve maximum production capability at your facility by separating your wash down area using Goff's Clean Curtains. Our curtains allow you to keep separate lines up and running while others go through wash down cycles, keeping your operation up to code while producing at optimal capacity and minimize downtime during required wash down periods. Our clean curtains with stainless steel track and hardware prevent corrosion and control any airborne contaminants to achieve maximum quality standards at each production line.







700 Hickory Street, Pewaukee, WI 53072 Phone: 800-234-0337 | Fax: 800-959-0170 MADE IN USA goffsenterprises.com | sales@goffscw.com goffs_CleanGuard_ProductBrochure_0422.indd | Revised 04.17.23 | 1827

© 2021 Goff's Enterprises, Inc All Rights Reserved